

0390

0390

~~0372~~



BOX SEQUENCE

Attorney Docket No. NC 82197

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Attorney Docket No.: NC No. 82197

Inventor: Callahan, et al.

Patent Applic. No.: 09/726,345

Filing Date: 12/01/2000

Title: Serotype and Dengue Group Specific Fluorogenic Probe based PCR (TAQMAN) Assays Against the Respective C and NS5 Genomic and 3' Non-Coding Regions of Dengue Virus

TRANSMITTAL LETTER

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

Submitted herewith for filing in the U.S. Patent and Trademark Office is the following:

- (1) Transmittal Letter (1p.)
- (2) Amendment including Response to Notice to File Corrected Application Papers (2p.)
- (3) Copy of: Notice to File Corrected Application Papers (3p.)
- (4) Sequence Listing - Paper Copy (3p.)
- (5) Sequence Listing - Computer Readable Form - 1 diskette

Respectfully submitted,

Date: March 25, 2003

Philip E. Ketner
Registration No. 46,272
Customer No. 22245



Commissioner for Patents
Washington, DC 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/726,345	12/01/2000	Johnny Dale Callahan	NC 82197

CONFIRMATION NO. 1880

22245
NAVAL MEDICAL RESEARCH CENTER
ATTN: (CODE 00L)
503 ROBERT GRANT AVENUE
SILVER SPRING, MD 20910-7500

FORMALITIES LETTER



OC000000009064891

Date Mailed: 11/05/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).


The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - The drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch). See Figure(s) 2,3.
 - The drawings contain excessive text. Suitable descriptive legends may be used, or may be required by the Examiner where necessary for understanding of the drawing but should contain as few words as possible (see 37 CFR 1.84(o)). See Figure(s) 2-6.
- This application clearly fails to comply with the requirements of 37 C.F.R. 1.821-1.825. Applicant's attention is directed to the final rulemaking notice published at 55 FR 18230 (May 1, 1990), and 1114 OG 29 (May 15, 1990). If the effective filing date is on or after July 1, 1998, see the final rulemaking notice published at 63 FR 29620 (June 1, 1998) and 1211 OG 82 (June 23, 1998). If the effective filing date is on or after September 8, 2000, see the final rulemaking notice published in the Federal Register at 65 FR 54604 (September 8, 2000) and 1238 OG 145 (September 19, 2000). Applicant must provide an initial computer readable form (CRF) copy of the "Sequence Listing", an initial paper or compact disc copy of the "Sequence Listing", as well as an amendment directing its entry into the application. Applicant must also provide a statement that the content of the sequence listing information recorded in computer readable form is identical to the written (on paper or compact disc) sequence listing and, where applicable, includes no new matter, as required by 37 CFR 1.821(e), 1.821(f), 1.821(g), 1.825(b), or 1.825(d). If applicant desires the sequence listing in the instant application to be identical with that of another application on file in the U.S. Patent and Trademark Office, such request in accordance with 37 CFR 1.821(e) may be submitted in lieu of a new CRF.

For questions regarding compliance to these requirements, please contact:


- For Rules Interpretation, call (703) 308-4216
- To Purchase PatentIn Software, call (703) 306-2600
- For PatentIn Software Program Help, call (703) 306-4119 or e-mail at patin21help@uspto.gov or patin3help@uspto.gov

A copy of this notice MUST be returned with the reply.



Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE



**ATTACHMENT TO "NOTICE TO COMPLY WITH
REQUIREMENTS...SEQUENCE DISCLOSURES"**

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be submitted using one of the following methods:

1. Electronically submitted through EFS-Bio
(<http://www.uspto.gov/ebs/efs/downloads/documents.htm>, EFS Submission User Manual - ePAVE)
2. Mailed to:
U.S. Patent and Trademark Office
Box Sequence, P.O. Box 2327
Arlington, VA 22202
3. Mailed by Federal Express, United Parcel Service or other delivery service to:
U. S. Patent and Trademark Office
2011 South Clark Place
Customer Window, Box Sequence
Crystal Plaza Two, Lobby, Room 1B03
Arlington, Virginia 22202
4. Hand Carried directly to the Customer Window at:
2011 South Clark Place
Crystal Plaza Two, Lobby, Room 1B03, Box Sequence,
Arlington, Virginia 22202